



Sat, 9 May 2009, 6:37:30 PM EST

Search Query Display

Edit an existing query or
compose a new query in the
Search Query Display.

Recent Search Queries

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

- | | |
|----|---|
| #1 | (((auto automatic*) <near/5> (transfer* <or> send* <or> request* <or> writ* <or> stor*) <paragraph> (host <or> cpu <or> processor <or> client) <paragraph> (cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage))) <in>metadata) |
| #2 | (((auto <or> automatic*) <in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*) <in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage)) <in>metadata) |
| #3 | ((((auto <or> automatic*) <in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*) <in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage)) <in>metadata) <AND> (((from <sentence> (cache <or> l1 <or> l2 <or> buffer) <paragraph> (to <sentence> (host <or> cpu <or> processor <or> client))) <in>metadata)) |
| #4 | (((auto <or> automatic*) <in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*) <in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage)) <in>metadata) |
| #5 | ((((auto <or> automatic*) <in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*) <in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage)) <in>metadata) <AND> (((to <near/5> (host <or> cpu <or> processor <or> client)) <in>metadata)) |
| #6 | ((((auto <or> automatic*) <in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*) <in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage)) <in>metadata) <and> (((to <near/5> (host <or> cpu <or> processor <or> client)) <in>metadata)) <AND> (((from <near/5> (cache <or> l1 <or> l2 <or> l3 <or> buffer))) <in>metadata)) |
| #7 | ((((auto <or> automatic*) <in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*) <in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage)) <in>metadata) <and> (((to <near/5> (host <or> cpu <or> processor <or> client)) <in>metadata)) <AND> (((from <near/5> (cache <or> l1 <or> l2 <or> l3 <or> buffer))) <in>metadata)) |
| | ((((auto <or> automatic*) <in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*) <in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk |

- #8 <or> disc <or> storage))<in>metadata)<and>(((to <near/5> (host <or> cpu <or> processor <or> client))<in>metadata)) <AND>(((from <near/5> (cache <or> l1 <or> l2 <or> l3 <or> buffer)))<in>metadata))
- #9 ((((auto <or> automatic)<in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*)<in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage))<in>metadata)<AND>(((to <near/5> (host <or> cpu <or> processor <or> client))<in>metadata))
- #10 ((((auto <or> automatic)<in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*)<in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage))<in>metadata)<and>(((to <near/5> (host <or> cpu <or> processor <or> client))<in>metadata)) <AND>(((~>from disc to host~>)<in>metadata))
- #11 ((((auto <or> automatic)<in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*)<in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage))<in>metadata)<AND>(((to <near/5> (host <or> cpu <or> processor <or> client))<in>metadata))
- #12 ((((auto <or> automatic)<in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*)<in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage))<in>metadata)<and>(((to <near/5> (host <or> cpu <or> processor <or> client))<in>metadata)) <AND>(((~>from the disk to the host~>)<in>metadata))
- #13 ((((auto <or> automatic)<in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*)<in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage))<in>metadata)<and>(((to <near/5> (host <or> cpu <or> processor <or> client))<in>metadata)) <AND>(((~>from the disk to the host~>)<in>metadata))
- #14 ((((auto <or> automatic)<in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*)<in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage))<in>metadata)<AND>(((to <near/5> (host <or> cpu <or> processor <or> client))<in>metadata))
- #15 (((auto <or> automatic)<in>metadata) <and> ((transfer* <or> writ* <or> send* <or> request* <or> stor*)<in>metadata)) <and> (((cache <or> l1 <or> l2 <or> buffer) <paragraph> (disk <or> disc <or> storage))<in>metadata)
- #16 ((~>from the cache to the host~>)<in>metadata)
- #17 ((~>from the disk to the host~>)<in>metadata)
- #18 ((~>from the disc to the host~>)<in>metadata)
- #19 ((~>from the host to the disc~>)<in>metadata)
- #20 ((~>from the host to the disk~>)<in>metadata)
- #21 ((from <near/3> host <near/3> disk)<in>metadata)
- #22 ((from <near/3> host <near/3> disk)<in>metadata)

#23 ((from <near/3> host <near/3> disk)<in>metadata)

#24 ((from <near/3> disc <near/3> host)<in>metadata)

#25 ((from <near/3> disk <near/3> host)<in>metadata)

#26 ((from <near/3> disk <near/3> host)<in>metadata)

#27 ((from <near/3> disk <near/3> host)<in>metadata)

#28 ((from <near/3> cache <near/3> host)<in>metadata)

#29 ((from <near/3> host <near/3> cache)<in>metadata)



Indexed by
inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2009 IEEE ...